

DOCKET NO. 1115

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

James F. McGuckin, Jr., et al

Serial No.:

10/025,506

Examiner:

Unknown

Filed:

December 19, 2001

Art Unit:

Unknown

For:

DIALYSIS CATHETER

Assistant Commissioner of Patents Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE MISSING PARTS OF APPLICATION-FILING DATE GRANTED

Sir:

In the event any event any extensions of time are required, please treat this paper as a petition to extend the time as required and charge Deposit Account No. 501567. TWO (2) COPIES OF THIS SHEET ARE ENCLOSED.

Dated: 3 15 07

Respectfully submitted,

Neil D. Gershon Reg. No. 32,225

Attorney for Applicant

Rex Medical 2023 Summer St. Suite 2 Stamford, CT. 06905



TES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
Washington, D.C. 20231
www.uspto.gov

APPLICATION NUMBER

Rex Medical, L.P.

Radnor, PA 19087

585 County Line Road

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/025,506

12/19/2001

James F McGuckin JR.

1115

CONFIRMATION NO. 6463

FORMALITIES LETTER

OC000000007317060

Date Mailed: 01/16/2002

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The oath or declaration is missing.

 A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(I) of \$65 for a small entity in compliance with 37 CFR 1.27, must be submitted with the missing items identified in this letter.
- The balance due by applicant is \$ 65.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

735.105 57000000

A copy of this notice <u>MUST</u> be returned with the reply.

04/12/2006 INDIAN

TLI

Customer Service Center
Initial Patent Examination Division (703) 308-1202
PART 2 - COPY TO BE RETURNED WITH RESPONSE